

Demolition Application Requirements:

- Notice of intent to perform a Demolition

- Asbestos inspection and report*
 - See attached for consultants and contractors licensed to perform inspection
 - If single-family home, no need for asbestos inspection per MN state law. If 2+ homes in same project, then inspection and removal needed.

- Demolition Permit (flat fee: \$45.50)



**DEPARTMENT
OF HEALTH**

ENVIRONMENTAL HEALTH

MN Asbestos Contractors and

13 May 2019

Southeast Region

Page 1 of 3

Consultants

Apex Envirocare, Ltd

Expires: 02/05/2020

(507) 340-1113

96 Cedar Ln, Madison Lake, MN 56063

Asbestrol, Inc.

Expires: 06/10/2019

(507) 433-2390

506 10th St NE, Austin, MN 55912

Environmental Process, Inc.


Expires: 02/22/2020

(763) 398-3040

715 Florida Ave S Ste 111, Le Sueur, MN 56058

*A & F Consulting - Aaron Hess
Rochester, MN*

(507) 272-0148



DEPARTMENT OF HEALTH

ENVIRONMENTAL HEALTH

MN Asbestos Contractors and

13 May 2019

Southeast Region

Page 3 of 3

Residential Abatement Contractors

Asbestrol, Inc. 506 10th St NE, Austin, MN 55912	Expires: 06/10/2019	(507) 433-2390
Blue Earth Environmental Co., Inc. 200 W Ruby St, Mankato, MN 56001	Expires: 01/09/2020	(507) 387-6281
Dulas Excavating, Inc. 964 Hwy 109 E, PO Box 207, Wells, MN 56097	Expires: 03/09/2020	(507) 553-3938
Hummingbird Environmental, LLC 29929 County 5 Blvd, Red Wing, MN 55066	Expires: 06/07/2020	(651) 457-4699
Med City Environmental, LLC 1216 36th St SW, Rochester, MN 55902	Expires: 11/22/2019	(507) 288-7058
O'Connel Excavating & Plumbing, 300 Main St E, Spring Valley, MN 55975	Expires: 06/27/2019	(507) 346-2995



Minnesota Pollution Control Agency

520 Lafayette Road North
St. Paul, MN 55155-4194

Notification of Intent to Perform a Demolition

Asbestos Program

Doc Type: Asbestos & Demolition/Amendments

Type of notification: Original Amended Project cancellation

Notification must be postmarked or received ten (10) working days before demolition begins. See Item 5 for emergency demolitions. Both start and end dates should be amended in writing as necessary to reflect current project dates.

Demolition Contractor

Name: _____

Address: _____

City, State, Zip: _____

Phone number: _____

Contact name: _____

Phone number: _____

Building Information

Building name: _____

Address/Location: _____

City, State, Zip: _____

County: _____

Phone number: _____

Age of bldg (yrs): _____ Size of bldg (sq ft): _____

Number of floors, including basement level(s): _____

Present use of bldg: _____

Prior use of bldg: _____

Building Owner

Name: _____

Address: _____

City, State, Zip: _____

Phone number: _____

Contact name: _____

Phone number: _____

Dates of demolition or intentional burning:

Start date: _____ End date: _____

mm/dd/yy

mm/dd/yy

Note: If there is >260 linear feet or >160 square feet of Regulated Asbestos-Containing Material (RACM) in the building to be demolished, it must be removed by a licensed asbestos contractor prior to demolition. The State of MN-Notice of Intent to Perform an Asbestos Abatement Project <http://www.pca.state.mn.us/publications/w-sw4-06.doc> must be used to notify for the asbestos removal.

Is nonfriable ACM present in the structure to be demolished? Yes No

Will nonfriable ACM be present in the structure at the time of demolition? Yes No

If **Yes** to both questions above, complete Items 1-9. If **No** to either question, complete Items 3-9.

1. If ACM will be left in place for the demolition indicate the amount of Category I and/or Category II nonfriable ACM left in place.

Category I: _____ Linear feet
_____ Square feet
_____ Cubic feet

Category II: _____ Linear feet
_____ Square feet
_____ Cubic feet

Category I nonfriable ACM means asbestos-containing packings, gaskets, resilient floor covering, and asphalt roofing products containing more than one percent asbestos.

Category I nonfriable ACM is not allowed to remain in place for demolition if it is in poor condition.

Category II nonfriable ACM means any material, excluding Category I nonfriable ACM, containing more than one percent Asbestos that, when dry, cannot be crumbled, pulverized, or reduced to a powder by hand pressure.

Category II nonfriable ACM is not allowed to remain in place for demolition if it has a high probability of becoming crumbled, pulverized, or reduced to a powder during demolition, transport, or disposal (e.g., transite, cement, slate roofing).

2. Description and location of ACM remaining in place (including number of floors and rooms):

3. Company and/or individual that conducted the building inspection and the procedure used to determine the presence or absence of ACM (including analytic method): (Note: Prior to demolition all structures must be inspected by a licensed asbestos inspector who has been certified through the Minnesota Department of Health.)

4. Description of planned demolition and the specific method(s) that will be used:

5. If the demolition was ordered by a government agency, please identify the agency and attach a copy of the order:

Name: _____ Title: _____

Authority: _____

Date of order (mm/dd/yy): _____ Start date (mm/dd/yy): _____

Notification for an emergency demolition must be submitted as early as possible before demolition begins, but not later than the following working day. A demolition is considered an emergency **only** when the facility has been deemed structurally unsound and in danger of imminent collapse. If the structurally unsound building is known to contain any regulated ACM or is suspected to contain any regulated ACM, special procedures **must** be followed. If you are unaware of the special procedures, instructions/ regulations can be obtained by contacting the Minnesota Pollution Control Agency (MPCA) at the address or phone number listed below.

6. Description of procedure to be followed in the event that unexpected RACM is found or Category II nonfriable ACM becomes crumbled, pulverized or reduced to powder:

7. Demolition waste transporter(s) information:

Transporter name: _____

Contact name: _____

Transporter address: _____

City, State, Zip: _____

Phone number: _____

8. Demolition waste disposal information: *see below for more information

Landfill name: _____

Owner/Operator: _____

Address/Location: _____

City, State, Zip: _____

Phone number: _____

9. I certify that the above information is correct and I am a bonafide representative of the demolition contractor or building owner and have authority to enter into agreements for my employer.

Print name: _____ Title: _____

Signature: _____ Date: _____

Important Note:

Ensure you are in compliance with Minn. R. 7035.0805 prior to the commencement of renovation/demolition.

This rule requires that the following items be removed two days prior to demolition: mixed municipal solid waste; household hazardous waste; industrial or hazardous waste; waste tires; major appliances; items containing elemental mercury, Poly-Chlorinated BiPhenyls (PCBs), and chlorofluorocarbons (CFCs); oil; lead; electronics; and other prohibited items. See MPCA website at <http://www.pca.state.mn.us/publications/w-sw4-20.pdf> for a Pre-Renovation/Demolition Environmental Checklist Guidance Document to assist with completion of this rule.

*Demolition waste must be disposed of at a permitted solid waste facility. For other disposal option please contact the regional MPCA solid waste compliance/enforcement staff with any questions.

Submit to: Minnesota Pollution Control Agency
Industrial Division – Asbestos Program
520 Lafayette Road North
St. Paul, MN 55155-4194

Questions call: 651-296-6300 or 1-800-657-3864

Fax: 651-297-1438

E-mail: asbestos.demolition.pca@state.mn.us



Minnesota Pollution Control Agency

520 Lafayette Road North
St. Paul, MN 55155-4194

Pre-Renovation/Demolition Environmental Checklist

Asbestos Program

Doc Type: Compliance/Enforcement Correspondence

Minn. R. 7035.0805 requires that you remove the items below before starting a renovation or demolition project, and then manage and recycle or dispose of them correctly. This checklist is provided to help you manage the project and does not need to be submitted to the Minnesota Pollution Control Agency unless requested.

Project Information

Structure owner

Name: _____

Address: _____

City, State, Zip: _____

Contact name: _____

Phone number: _____

Demolition contractor

Name: _____

Address: _____

City, State, Zip: _____

Contact name: _____

Phone number: _____

Structure information

Building name: _____

Address/Location: _____

City, State, Zip: _____

Age of bldg (yrs): _____ Size of bldg (sq ft): _____

Present use of bldg: _____

Prior use of bldg: _____

Dates of renovation, demolition, or fire training burn:

Start date: _____ End date: _____

(mm/dd/yy)

(mm/dd/yy)

Mercury	Qty		Qty		Qty
Batteries		Firestats:		Boiler insulation:	
Smoke detectors:		Manometers:		HVAC duct insulation:	
Emergency lighting systems:		Thermometers:		Ductwork flexible fabric connections:	
Elevator control panels:		Boilers, furnaces, heaters, and tanks		Fireproofing materials:	
Exit signs:		Mercury flame sensors by pilot lights:		Fire doors:	
Security systems and alarms:		Manometers, thermometers, gauges:		Flooring:	
Lighting		Pressure-trol:		Vinyl floor tile:	
Fluorescent lights:		Float or level controls:		Vinyl sheet flooring:	
High intensity discharge		Space heater controls:		Asphalt tile:	
Metal halide:		Electrical systems		Linoleum paper backing:	
High pressure sodium:		Load meters & supply relays:		Mastic/glue (floor tile, carpet, etc.)	
Mercury vapor:		Phase splitters:		Electrical	
Neon:		Micro relays:		Electrical panels:	
Switches for lighting using mercury relays (look for any control associated with exterior or automated lighting systems):		Mercury displacement relays:		Electrical wiring insulation:	
"Silent" wall switches:		Asbestos		Heating and electrical ducts/conduit:	
Heating, ventilating, and air conditioning systems		Boiler rooms		Pipe and other insulation	
Thermostats:		Boilers, furnaces, fireplaces, and their components:		Aircell (corrugated cardboard):	
Aquastats:		Cement sheets near heating equipment:		Millboard:	
Pressurestats:				Preform:	
				Joint compound:	

Asbestos (continued)	Qty	ChloroFluoroCarbons	Qty		Qty
Spray applied insulation:		Fire extinguishers (both portable and installed halon suppression systems):		Lead-acid batteries (lighting, exit signs, security systems):	
Blown-in insulation:		Air conditioners (rooftop, room, and central):		Lead flashing molds and roof vents:	
Block:		Walk in coolers (refrigeration or cold storage areas):		Lead pipes and solder:	
Surfacing materials		Water fountains and dehumidifiers:		Lead-lined X-ray rooms:	
Acoustical plaster:		Refrigerators/freezers chillers:			
Decorative plaster:		Heat pumps:		Other	
Textured paints & coatings:		Vending machines/food display cases:		Solid waste (all non-building components such as unattached carpet, files, books, trash, desks, chairs, etc.) must be removed prior to demolition:	
Spray-applied materials (acoustical, decorative, or insulative):				Hazardous waste (including household) must be properly handled and disposed of prior to demolition:	
Roofing		Poly-Chlorinated BiPhenyls (PCBs)		Oil (used oil, hydraulic oils in door closers, elevator shafts, etc.) must be collected and properly disposed of prior to demolition:	
Roofing shingles:		Transformers:		Tanks (no evidence of former heating tanks or storage tanks exist):	
Roofing felt:		Transistors:		Appliances must be recycled by an appliance recycler:	
Base flashing:		Capacitors:		Electronics:	
Cement materials (Transite)		Heat transfer equipment:			
Cement pipes (flues & vents):		Light ballasts:			
Cement wallboard:					
Cement siding:		Lead			
Pegboard:		Lead-based paint (woodwork, metal equipment, interior/ exterior uses):			
Ceiling materials					
Ceiling tiles:					
Ceiling tile adhesives (pucks):					
Lay-in ceiling panels:					
Acoustical tiles:					
Miscellaneous					
Taping, joint, and spackling compound:					
Caulking/putties:					
Fire curtains and blankets:					
Laboratory hoods, table tops, gloves, etc.:					
Gaskets:					

If you have questions or comments about this checklist, identify any additional items not found in this list, or would like to discuss an individual project, contact the Minnesota Pollution Control Agency at 651-296-6300 or 1-800-657-3864.

Affiliation with project: _____ Title: _____

Printed name: _____ Date: _____

Important Note:

This guidance document is not intended as a substitute for reading Minnesota Rules and Statutes and making your own independent determination of their applicability to your renovation/demolition project. Examples in this guidance document do not represent an exhaustive listing of type of materials that may be required to be removed from a building prior to renovation/demolition.